

SAFETY DATA SHEET

1. Identification

Product identifier	Lithium General Purpose Grease
Other means of identification	
Product code	SL3311, SL3315, SL3317
Recommended use	Lubricating grease
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufactured or sold by:	
Company name	CRC Industries, Inc.
Address	885 Louis Dr.
Telephone	Warminster, PA 18974 US
General Information	215-674-4300
Technical	800-521-3168
Assistance	800 070 4600
Customer Service 24-Hour Emergency	800-272-4620 800-424-9300 (US)
(CHEMTREC)	703-527-3887 (International)
Website	www.crcindustries.com
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	Not available.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), hydrotreated heavy naphthenic		64742-52-5	87 - 93
Lithium 12-hydroxystearate		7620-77-1	3 - 7

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact	Wash off with plenty of water. Remove and isolate attention if irritation develops and persists. Wash		
Eye contact	Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if preservand easy to do. Get medical attention if irritation develops and persists.		
Ingestion	Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions. Get medical attention if symptoms occur. If ingestion of a large amount does occur, call a poison control center immediately.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irri	itation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of the n protect themselves.	naterial(s) involved	, and take precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon o	dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this w	ill spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be for	rmed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release mea	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people low areas. Do not touch damaged containers or s protective clothing. For personal protection, see s	pilled material unle	ess wearing appropriate
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Sweep up or vacuum up spillage and surface thoroughly to remove residual contaminat		e container for disposal. Clean
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.		
Environmental precautions	Avoid discharge into drains, water courses or onto	o the ground.	
7. Handling and storage			
Precautions for safe handling	Wear appropriate personal protective equipment. Avoid prolonged exposure. Use only in well-ventil smoke. Wash contaminated clothing before reuse environmental contamination. For product usage	ated areas. When b. Use appropriate	using, do not eat, drink or container to avoid
Conditions for safe storage, including any incompatibilities	Keep away from heat and sources of ignition. Sto in a well-ventilated place. Keep container tightly o (see Section 10 of the SDS).		
8. Exposure controls/pers	onal protection		
Occupational exposure limits			
US. OSHA Table Z-1 Limits f Components	or Air Contaminants (29 CFR 1910.1000) Type	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS	PEL	5 mg/m3	Mist.
64742-52-5)		2000 ma/m3	

Material name: Lithium General Purpose Grease SL3311, SL3315, SL3317 Version #: 01 Issue date: 12-01-2014 2000 mg/m3 500 ppm

US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Biological limit values	No biological exposure limits noted for	or the ingredient(s).	
Exposure guidelines	Occupational Exposure Limits are no	t relevant to the current physic	al form of the product.
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measure	s, such as personal protective equipm	ent	
Eye/face protection	Wear safety glasses with side shields	s (or goggles).	
Skin protection			
Hand protection	Wear protective gloves such as: Neoprene. Nitrile.		
Other	Wear suitable protective clothing.		
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.		
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
General hygiene considerations	Always observe good personal hygie and before eating, drinking, and/or sr equipment to remove contaminants.		

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Grease.
Color	Amber.
Odor	Mild petroleum.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	680 °F (360 °C) estimated
Flash point	Not determined.
Evaporation rate	Very slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	< 0.01 hPa
Vapor density	> 5 (air = 1)
Relative density	0.9

Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Viscosity (kinematic)	Not available.
Percent volatile	100 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides. Metal oxides.

11. Toxicological information

Information on likely routes of	exposure	
Ingestion	Expected to be a low ingestion hazard.	
Inhalation	No adverse effects due to inhalation are expected.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes and mucous membranes. Skin irritation.	
Information on toxicological ef	fects	
Acute toxicity	Not available	

Acute toxicity	Not available.	
Product	Species	Test Results
Lithium General Purpose Grease		
Acute		
Dermal		
LD50	Rabbit	2150.5376 mg/kg estimated
Oral		
LD50	Rat	5376.3442 mg/kg estimated
* Estimates for product may b	e based on additional componer	it data not shown.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Further information	This product has no known adverse effect on human health.	

12. Ecological information Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. **Test Results** Product Species Lithium General Purpose Grease Aquatic Crustacea **EC50** Daphnia 1075.2688 mg/l, 48 hours estimated Fish LC50 Fish 5376.3442 mg/l, 96 hours estimated Components Species **Test Results** Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Aquatic Crustacea **EC50** Water flea (Daphnia magna) 1000 mg/l, 48 hours Fish LC50 Rainbow trout, donaldson trout 5000 mg/l, 96 hours (Oncorhynchus mykiss) * Estimates for product may be based on additional component data not shown. No data is available on the degradability of this product. Persistence and degradability **Bioaccumulative potential** No data available. Mobility in soil No data available. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. 13. Disposal considerations **Disposal of waste from** This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste residues / unused products

•	disposal site. Dispose in accordance with all applicable regulations.
Hazardous waste code	Not regulated.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations
 This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.
 TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

 Not regulated.
 SARA 304 Emergency release notification
 Not regulated.
 US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
 Not listed.

 US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance
 Not listed.
 CERCLA Hazardous Substance List (40 CFR 302.4)
 Not listed.

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug Administration (FDA)	Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
No

hazardous substance

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

- US. New Jersey Worker and Community Right-to-Know Act Not listed.
- US. Massachusetts RTK Substance List

None.

US. Pennsylvania Worker and Community Right-to-Know Law Not listed.

US. Rhode Island RTK

None.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Volatile organic compounds (VOC) regulations

EPA

VOC content (40 CFR 51.100(s))	100 %
Consumer products (40 CFR 59, Subpt. C)	Not regulated
State	
Consumer products	Not regulated

onsumer products	Not regulated
VOC content (CA)	< 0.1 %
VOC content (OTC)	< 0.1 %

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Country(s) or region

Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	12-01-2014
Prepared by	Allison Cho
Version #	01
Further information	Not available.
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0 Personal protection: B
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
NFPA ratings	

Disclaimer

CRC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.