

# Safety Data Sheet

Product Name: RG403: Neutralization Solution (NS)

Revision Date: June 4, 2015

Page 1 of 6

## Section #1: Chemical Product and Company Identification

Product Name: RG403: Neutralization Solution (NS)

Other mean of identification: None

Chemical use/Restrictions: For industrial, commercial, institutional use only. Not intended for household use.

Manufacturer / Distributor: Enerco Corporation

Address: 317 N. Bridge St., Grand Ledge, MI 48837

Telephone: (800) 292-5908

Fax: (517) 627-8037

***For chemical emergency - spill, leak, fire, exposure or accident - call CHEMTREC - day or night - (800) 424-9300***

# Safety Data Sheet

Product Name: RG403: Neutralization Solution (NS)

Revision Date: June 4, 2015

Continued from previous page...

Page 2 of 6

## Section #2: Hazards Identification

Signal Word: **Danger**



Flame



Exclamation  
Mark

<u>Classification Number and Name</u>	<u>Appendix Reference</u>	<u>Hazard Statement</u>	<u>Hazard Category</u>
C.4.5 Eye Damage/Irritation	A.3	Causes serious eye irritation	2A
C.4.19 Flammable Liquids	B.6	Highly flammable liquid and vapor	2
C.4.11 Specific Target Organ Toxicity (Single Exposure)	A.8	May cause drowsiness or dizziness	3

## Precautionary Statements

### Prevention

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilation/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash exposed body parts thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear eye protection/face protection

Wear protective gloves/eye protection/face protection.

### Response

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use dry chemical, carbon dioxide, foam to extinguish.

### Storage

Store in a well-ventilated place.

Store in a well-ventilated place. Keep cool.

Keep container tightly closed.

Store locked up.

### Disposal

Dispose of contents/container to comply with all local, state, and federal regulations.

**Other Hazards:** No other hazards identified during the classification process.

**Unknown Acute Toxicity:** No ingredients of unknown toxicity.

## Section #3: Composition/Information on Ingredients

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Weight %</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
<input checked="" type="checkbox"/> Isopropyl alcohol	67-63-0	<60%	980 mg/m <sup>3</sup>	480 mg/m <sup>3</sup>
<input checked="" type="checkbox"/> Phenolphthalein	77-09-8	<1%	unknown	unknown

☒ Indicates hazardous substances. Remainder of components comprise proprietary information. This document is prepared pursuant to the OSHA Hazard Communication Standard, 29 CFR 1910.1200. In addition, other substances not "hazardous" per this OSHA standard may be listed.

Continued on next page...

Printed on: Thursday, February 25, 2016

# Safety Data Sheet

Product Name: RG403: Neutralization Solution (NS)

Revision Date: June 4, 2015

Continued from previous page...

Page 3 of 6

## Section #4: First Aid Measures

**EMERGENCY OVERVIEW:** May be an irritant to eyes, skin, and mucous membranes. May be sensitizer to skin. May be absorbed through skin. Flammable liquid.

**Eye:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical aid.

**Skin:** In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

**Ingestion:** Potential for aspiration if swallowed. Get medical aid immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs naturally, have victim lean forward.

**Potential Health Effects:** See Section 11 For Toxicological Data.

**Effects of Acute Exposure:** Eyes: May be an irritant.

Skin: May be an irritant, sensitizer or a permeator.

Inhalation: May be an irritant.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

**Effects of Chronic Exposure:** Repeated or prolonged exposure to the substance can produce target organ (kidney, liver, skin, CNS) damage. Severe overexposure can cause headache, drowsiness, confusion, loss of coordination, unconsciousness and death.

**Medical Conditions Generally Aggravated by Exposure:** Pre-existing eye and/or skin irritation, respiratory, and/or digestive disorders.

## Section #5: Fire-Fighting Measures

**NFPA Hazard Codes - (Health / Flammability / Reactivity):**

1 / 3 / 0

**NFPA Code Legend**

4 - Severe Hazard  
3 - Serious Hazard  
2 - Moderate Hazard  
1 - Slight Hazard  
0 - Minimal Hazard

**Extinguishing Media:** Do not use straight streams of water. Use dry chemical, carbon dioxide, alcohol-resistant foam, or water spray. Cool containers with flooding quantities of water until well after fire is out.

**Unusual Fire and Explosive Hazards:** Highly flammable in presence of open flames, sparks, or heat. Vapor may travel considerable distance to source of ignition and flash back. Caution: may burn with near invisible flame.

**Special Fire Fighting Procedures:** Fire fighters should wear full protective gear including self-contained breathing apparatus.

## Section #6: Accidental Release Measures

**Spill and Leak Procedure:** Small spill: dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.  
Large spill: Flammable liquid. Keep away from heat. Keep away from sources of ignition. Absorb with DRY earth, sand or other non-combustible material. Prevent entry into sewers, basements or confined areas; dike if needed. A vapor suppressing foam may be used to reduce vapors.

**Disposal:** Dispose of in accordance with all applicable federal, state, and local health and environmental standards and regulations.

# Safety Data Sheet

Product Name: RG403: Neutralization Solution (NS)

Revision Date: June 4, 2015

Continued from previous page...

Page 4 of 6

## Section #7: Handling and Storage

- Precautions to be Taken in Handling:** Avoid contact with eyes, skin, and clothing.  
Keep container tightly closed when not in use.  
Avoid breathing vapor.  
Wash thoroughly after handling.  
Keep away from heat, sparks, and sources of ignition.  
Do not ingest.  
Keep away from oxidizing agents and acids.
- Precautions to be Taken in Storage:** Normal shelf life 1 year.  
Store in a cool, well ventilated, dry, secure place.  
Do not store with or near food supplies or potable water.  
Avoid all possible sources of ignition (spark or flame).  
Keep container tightly closed until ready to use.

## Section #8: Exposure Controls / Personal Protection

- Permissible Exposure Limits:** OSHA PEL: 980 mg/m<sup>3</sup> for Isopropyl Alcohol  
ACGIH: 490 mg/m<sup>3</sup> for Isopropyl Alcohol
- Ventilation:** If user operations generate airborne material, use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne concentration of vapors below exposure limits.
- Eye Protection:** Chemical splash goggles and/or face shield.  
Eyewash fountain in the work place is strongly recommended.
- Skin Protection:** Chemical resistant gloves.  
Shower in the work place is strongly recommended.
- Respiratory Protection:** Respiratory protection may be required for work areas where exposure by inhalation may occur and engineering, work practice or other means of exposure reduction are not adequate to keep airborne levels below the exposure limits.
- Other Protection Equipment:** Any other protective clothing or use of equipment necessary to prevent eye and skin contact.

## Section #9: Physical and Chemical Properties

<b>Appearance:</b> Clear Colorless	<b>Flammable Limits:</b> 2%Lower, 12.7%Upper
<b>Odor:</b> Slight	<b>Vapor Pressure:</b> 33 Mm Hg @ 20°C
<b>Odor Threshold:</b> No Information Available.	<b>Vapor Density:</b> 2.1 (Air = 1)
<b>pH (1% sol'n, unless noted):</b> 4-5	<b>Relative Density:</b> No Information Available.
<b>Melting Point (deg. F):</b> No Information Available.	<b>Solubility in Water:</b> Soluble
<b>Boiling Point (deg. F):</b> 180.5°F @760 Mm Hg	<b>Partition Coefficient:</b> No Information Available.
<b>Flash Point:</b> 73.4°F Open Cup	<b>Auto-ignition (deg. F):</b> No Information Available.
<b>Evaporation Rate:</b> 1.7 (N-butyl Acetate=1)	<b>Decomposition (deg. F):</b> No Information Available.
<b>Flammability (NFPA Rating):</b> 3	<b>Viscosity:</b> No Information Available.

# Safety Data Sheet

Product Name: RG403: Neutralization Solution (NS)

Revision Date: June 4, 2015

Continued from previous page...

Page 5 of 6

## Section #10: Stability and Reactivity

**Reactivity (NFPA Rating):** 0

**Chemical Stability:** Stable

**Hazardous Reactions:** Will Not Occur

**Conditions to Avoid:** Heat, Ignition Sources (Sparks, Flames, Etc)

**Incompatibility:** Oxidizing Agents, Acids

**Hazardous Decomposition Products:** None Known

## Section #11: Toxicological Information

May be an irritant to eyes, skin, and mucous membranes. May be sensitizer to skin. May be absorbed through skin. Flammable liquid.

For Isopropyl Alcohol: acute oral toxicity (LD50) - 3600 mg/kg Mouse

For Isopropyl Alcohol: acute dermal toxicity (LD50) - 12800 mg/kg Rabbit

**Ingredients as Carcinogens:** Phenolphthalein powder: NTP rating - classified 2 (reasonably anticipated), IARC rating - classified 2B (possible for human)

## Section #12: Ecological Information

The product itself and its products of degradation are not toxic.

## Section #13: Disposal Considerations

Best route is to use product for its originally intended purpose. Dispose of in accordance with all applicable environmental standards and in accordance with all local, state, and federal laws and regulations.

## Section #14: Transport Information

**DOT Proper Shipping Name:** Flammable Liquid, N.O.S., (contains Isopropyl Alcohol)

**DOT Hazard Class:** 3

**DOT UN Number:** UN1993

**DOT Label:** Flammable

**DOT Packing Group:** II

The shipping name listed above applies to a 55 gallon drum size (~500 lbs) of the product offered for ground transport. This product may have more than one proper shipping name, depending on packaging, product properties, and mode of shipment.

# Safety Data Sheet

Product Name: RG403: Neutralization Solution (NS)

Revision Date: June 4, 2015

Continued from previous page...

Page 6 of 6

## Section #15: Regulatory Information

**TSCA:** All Ingredients Are On The TSCA Inventory Or Are Not Required To Be Listed On The TSCA Inventory.

**RCRA Hazard Class:** No Components Of This Product Are Listed.

**CERCLA RQ:** No Components Of This Product Are Listed.

### SARA Title III

**Extremely Hazardous Substance:** No Components Of This Product Are Listed.

**Hazardous Substance:** Hazard Due To: Irritant

**Hazard Catagorization:** ☐ Sudden Release of Pressure ☒ Immediate (Acute) Health  
☐ Reactive ☐ Delayed (Chronic) Health  
☐ Fire

**Section 313 Chemicals:** This product contains the following EPCRA Section 313 chemical subject to the reporting requirements of Section 313 of The Emergency Planning and Community Right-To-Know Act of 1986(40CFR372)

CAS#	Chemical Name
77-09-8	Phenolphthalein

This information should be included in all MSDS's that are copied and distributed for this material.

### STATE RIGHT-TO-KNOW

CHEMICAL NAME	CAS NUMBER	LIST
Isopropyl Alcohol	67-63-0	MA,MN,NJ1,PA1,PA3

MA=Massachusetts Hazardous Substance MN=Minnesota Hazardous Substance NJ1=New Jersey RTK Hazardous Substance PA1=Pennsylvania Hazardous Substance (present at greater than or equal to 1.0%) PA3=Pennsylvania Environmental Hazardous Substance (present at greater than or equal to 1.0%)

## Section #16: Other Information

**Revision Date:** June 4, 2015

This product is a testing reagent. The use rate is drops to mls. per day. The normal amount purchased is = or < a quart.

We believe that the statements, technical information, and recommendations contained herein are reliable. However, since data, safety standards, and government regulations are subject to change and conditions of handling and of use or misuse are beyond our control, and since health and safety precautions given may not be adequate for all individuals and/or situations, we make no warranty, either expressed or implied, with respect to the continuing accuracy of the information contained herein.