## Product Name: RG103: Alkalinity-3 (Alk-3)

Revision Date: June 4, 2015

#### Page 1 of 5 Section #1: Chemical Product and Company Identification Product Name: RG103: Alkalinity-3 (Alk-3) Other mean of identification: None Chemical use/Restrictions: For industrial, commercial, institutional use only. Not intended for household use. Manufacturer / Distributor: Enerco Corporation Address: 317 N. Bridge St., Grand Ledge, MI 48837 Telephone: (800) 292-5908 Fax: (517) 627-8037 For chemical emergency - spill, leak, fire, exposure or accident - call CHEMTREC - day or night - (800) 424-9300 Section #2: Hazards Identification Signal Word: Warning Exclamation Mark **Classification Number and Name Appendix Reference Hazard Statement Hazard Category** C.4.4 Skin Corrosion/Irritation A.2 Causes skin irritation 2 A.3 2A C.4.5 Eye Damage/Irritation Causes serious eye irritation **Precautionary Statements** Prevention **Response** Wash exposed body parts If on skin: Wash with plenty thoroughly after handling. of water. Wear eye protection/face If in eyes: Rinse cautiously protection with water for several minutes. Remove contact Wear protective gloves. lenses, if present and easy to do. Continue rinsina. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. **Other Hazards:** No other hazards identified during the classification process.

Unknown Acute Toxicity: No ingredients of unknown toxicity.

Section #3: Composition/Information on Ingredients					
Chemical Name	CAS Number	Weight %	OSHA PEL	ACGIH TLV	
Sulfuric Acid	7664-93-9	<0.2%	1 mg/m³	0.2 mg/m³	

Indicates hazardous substances. Remainer of components comprise proprietary information. This document is prepared pursuant to the OSHA Hazard Communication Standard, 29 CFR 1910.1200. In addition, other substances not "hazardous" per this OSHA standard may be listed.

Product Name: RG103: Alkalinity-3 (Alk-3)

Revision Date: June 4, 2015

Continued fro	m previous page		Page 2 of 5
ction #4: Firs	t Aid Measures		
EMERGEN	CY OVERVIEW:	depending on exposure time and concent	kin, or mucous membranes. May be corrosive tration. NOTE: This is a laboratory use product for milliliters per day. The normal amount purchased
Eye:		emove any contact lenses. Immediately flu g flushing. If irritation persists, repeat flusl	ush with water for 15 minutes. Be sure eyelids are hing. Seek immediate medical attention.
<b>Skin:</b> Flush with water for at least 20 minutes. If irritation persists, repeat flushing. Wash thoroughly with soap and water. If irritation persists, seek medical attention immediately.			
Inhalation: Remove to fresh air if effects occur. Consult physician if effects occur.			
Ingestion:	<b>on:</b> Never give anything by mouth to an unconscious person. Do not induce vomiting. Irrigate esophagus and dilute stomach contents by slowly giving one or two glasses of water or milk. Consult physician, get medical attention.		
Potential H	ealth Effects:	See Section 11 For Toxicological Data	
Effects of A		Eye: Irritation to severe irritation may occur depending on exposure time and concentra Skin: Irritation to severe irritation may occur Ingestion: Irritation to severe irritation may and gastrointestinal tract. Inhalation: Irritation to severe irritation may	ation. ur. / occur. May be corrosive to mucus membranes
Effects of C	hronic Exposu	re: Repeated or prolonged contact with spr severe skin irritation and may produce i	ray mist may produce chronic eye irritation and respiratory tract irritation.
Medical Co	nditions Genera		g upper respiratory and lung diseases and g skin diseases may be aggravated.
tion #5: Fire	-Fighting Meas	ıres	
NFPA Hazar	d Codes - (Heal	h / Flammability / Reactivity):	NFPA Code Legend
	1	1 0 1 0	4 - Severe Hazard 3 - Serious Hazard 2 - Moderate Hazard 1 - Slight Hazard

**Extinguishing Media:** Water spray, fog, foam, dry chemical, carbon dioxide, or other agents as appropriate for surrounding fire.

Unusual Fire and Explosive Hazards: None Known

**Special Fire Fighting Procedures:** Fire fighters should wear full protective gear including self-contained breathing apparatus.

## Section #6: Accidental Release Measures

**Spill and Leak Procedure:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of sodium carbonate. Prevent entry into sewers, basements or confined areas. Keep out of drains, sewers, lakes, streams, or other water systems.

**Disposal:** Dispose of in accordance with all applicable federal, state, and local health and environmental standards and regulations.

0 - Minimal Hazard

Product Name: RG103: Alkalinity-3 (Alk-3)

Revision Date: June 4, 2015

Continued from previous page...

Page 3 of 5

Section #7: Handling and Storage		
Precautions to be Taken in Handling:	Avoid contact with eyes, skin, and clothing. Avoid breathing vapor. Keep container tightly closed when not in use. Do not ingest. Wash thoroughly after handling. Always add acid to water - NOT WATER TO ACID	
Precautions to be Taken in Storage:	Store in a cool, dry, secure place. Store below 120°F and above 40°F Normal shelf life 1 year. Do not store with or near food supplies or potable water. Store away from strong alkalis and alkali metal.	

## Section #8: Exposure Controls / Personal Protection

Permissible Exposure Limits:	OSHA PEL: Sulfuric Acid 1 mg/m³ ACGIH TLV: Sulfuric Acid 1 mg/m³ ACGIH STEL: Sulfuric Acid 3 mg/m³
Ventilation:	Use adequate ventilation to keep below exposure limits.
Eye Protection:	Chemical splash goggles and/or face shield. Eyewash fountain in the work place is strongly recommended.
Skin Protection:	Chemical resistant gloves. Shower in the work place is strongly recomomended.
Respiratory Protection:	Use adequate ventilation to keep airborn levels below the exposure limits. Respiratory protection may be required for work areas where misting may occur.
Other Protection Equipment:	Any other protective clothing or use of equipment necessary to prevent eye and skin contact.

## Section #9: Physical and Chemical Properties

<b>,</b>				
Appearance:	Clear Colo	orless Liquid	Flammable Limits:	Not Applicable
Odor:	No Odor		Vapor Pressure:	Similar To Water
Odor Thresho	old: No Info	ormation Available.	Vapor Density:	Similar To Water
pH (1% sol'n,	unless no	ted): 1-2	<b>Relative Density:</b>	No Information Available.
<b>Melting Point</b>	(deg. F):	No Information Available.	Solubility in Water:	Complete
<b>Boiling Point</b>	(deg. F):	>212°F	Partition Coefficient:	No Information Available.
Flash Point:		Not Applicable	Auto-ignition (deg. F):	No Information Available.
Evaportation	Rate:	Similar To Water	Decomposition (deg. F	): No Information Available.
Flammability	(NFPA Rat	t <b>ing):</b> 0	Viscosity:	No Information Available.

# Section #10: Stability and Reactivity

Reactivity (NFPA Rating): 0		
Chemical Stability:	Stable	
Hazardous Reactions:	Will Not Occur	
Conditions to Avoid:	When Diluting Add Acid To Water DO NOT ADD WATER TO ACID	
Incompatibility:	Oxidizing Agents, Reducers, Strong Alkalis (Bases)	
Hazardous Decomposition Products: Toxic Gases And Vapors (Like Sulfur Dioxide) May Be Released		

### Product Name: RG103: Alkalinity-3 (Alk-3)

Revision Date: June 4, 2015

None

Page 4 of 5

Continued from previous page...

#### Section #11: Toxicological Information

This product may be irritating to eye, skin, and mucous membranes. May be corrosive depending exposure time and concentration.

Ingredients as Carcinogens: To the best of our knowledge, this product does not contain any substances that are considered by OSHA, NTP, IARC, of ACGIH to be 'probable' or 'suspected' human carcinogens.

#### Section #12: Ecological Information

No data availbable

Section #13: Disposal Considerations

Best route is to use product for its originally intended purpose. Dispose of in accordance with all applicable environmental standards and in accordance with all local, state, and federal laws and regulations.

**DOT UN Number:** 

**DOT Packing Group:** 

#### Section #14: Transport Information

**DOT Proper Shipping Name:** Not Regulated as Hazardous by DOT.

DOT Hazard Class: Not Applicable

**DOT Label:** Not Applicable

The shipping name listed above applies to a 55 gallon drum size (~500 lbs) of the product offered for ground transport. This product may have more than one proper shipping name, depending on packaging, product properties, and mode of shipment.

### Section #15: Regulatory Information

scholl #15. Regulatory	finiorination			
TSCA:	All Ingredients Are On The TSCA Inventory Or Are Not Required To Be Listed On The TSCA Inventory.			
RCRA Hazard Class:	No Components Of This Product Are Listed.			
CERCLA RQ:	Listed "Sulfuric Acid" RQ 1,000 Lbs			
SARA Title III				
Extremely Hazardous Substance: Listed "Sulfuric Acid" RQ 1,000 Lbs				
Hazardous Substance: Hazard Due To: Irritant		itant		
Hazard Catagoriz	ation: Sudden Release of Pres	sure 🔽 Immediate (Acute) Health		
	Reactive	Delayed (Chronic) Health		
	Fire			
Section 313 Chemicals: This product contains the following EPCRA Section 313 chemical subject to the reporting requirements of Section 313 of The Emergency Planning and COmmunity Right-To-Kno Act of 1986(40CFR372) CAS# Chemical Name				

7664-93-9 Sulfuric acid (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)

This information should be included in all MSDS's for this material.

### STATE RIGHT-TO-KNOW

CHEMICAL NAME	CAS NUMBER	LIST
Sulfuric Acid	7664-93-9	MA,MN,NJ1,NJ2,NY,PA1,PA3

MA=Massachusetts Hazardous Substance MN=Minnisota Hazardous Substance NJ1=New Jersy Hazardous Substance NJ2=New Jersey Special Health Hazard & Hazardous Substance NY=New York Hazardous Substance PA1=Pennsylvania Hazardous Substance (present at greater than or equal to 1.0%) PA3=Pennsylvania Environmental Hazardous Substance (present at greater than or equal to 1.0%)

### Product Name: RG103: Alkalinity-3 (Alk-3)

Revision Date: June 4, 2015

Page 5 of 5

Continued from previous page...

#### Section #16: Other Information

### Revision Date: June 4, 2015

This is a laboratory use product for testing purposes. The use rate is drops to milliliters per day. The normal amount purchased is 1 1/4 oz. to 32 oz. at a time.

We believe that the statements, technical information, and recommendations contained herein are reliable. However, since data, safety standards, and government regulations are subject to change and conditions of handling and of use or misuse are beyond our control, and since health and safety precautions given may not be adequate for all individuals and/or situations, we make no warranty, either expressed or implied, with respect to the continuing accuracy of the information contained herein.