

SAFETY DATA SHEET

Issuing Date: 12-Feb-2015 Revision Date: 15-Jun-2015 Version 3

1. IDENTIFICATION

Product Name Dawn Professional® Power Dissolver

Product Code(s) 6-00

Product ID: 95446855_PROF_NG

Product Type: Finished Product - Professional Use Only

Recommended Use Cleaning agent

Restrictions on UseUse only as directed on label.

Manufacturer Procter & Gamble Professional

2 P&G Plaza

Cincinnati, Ohio 45202

Procter & Gamble Inc. P.O. Box 355, Station A Toronto, ON M5W 1C5

1-800-332-7787

E-mail Address pgsds.im@pg.com

Emergency Telephone Transportation (24 HR)

CHEMTREC - 1-800-424-9300 (U.S./ Canada) or 1-703-527-3887 Mexico toll free in country: 800-681-9531

2. HAZARD IDENTIFICATION

This product is classifed under 29CFR 1910.1200(d) and the Canadian Hazardous Products Regulation as follows:.

Hazard Category

Skin corrosion/irritation Category 1

Eye Damage / Irritation Category 1

Flammable Liquids

Signal Word DANGER

Hazard Statements Causes severe skin burns and eye damage

Hazard pictograms



95446855_PROF_NG - Dawn Professional® Power Dissolver

Precautionary Statements - Do not breathe mist

Prevention Wash hands thorough

Wash hands thoroughly after handling Wear protective gloves and eye protection

Use with ventilation.

Precautionary Statements -

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Revision Date: 15-Jun-2015

present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Drink 1 or 2 glasses of water

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements -

Storage

None

Precautionary Statements -

Disposal

None

Hazards not otherwise classified

(HNOC)

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are listed according to 29CFR 1910.1200 Appendix D and the Canadian Hazardous Products Regulation

| Chemical Name | Synonyms | Trade Secret | CAS-No | Weight % |
|-------------------------------------|----------|--------------|------------|-----------|
| Dipropylene Glycol Butoxy Ether | • | No | 29911-28-2 | 5 - 10 |
| Phenoxyethanol | - | No | 122-99-6 | 5 - 10 |
| 2-Aminoethanol | - | No | 141-43-5 | 5 - 10 |
| Benzenesulfonic acid, | - | No | 28348-53-0 | 1 - 5 |
| (1-methylethyl)-, sodium salt (1:1) | | | | |
| Amine oxides, C10-16-alkyldimethyl | • | No | 70592-80-2 | 1 - 5 |
| Limonene | - | No | 5989-27-5 | 0.1 - 1.0 |

4. FIRST AID MEASURES

First aid measures for different exposure routes

Eye contact Rinse with plenty of water. Call a physician immediately.

Skin contact Rinse with plenty of water. Get medical attention if irritation develops and persists.

Ingestion Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately if

symptoms occur.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician or poison control center immediately.

Most important symptoms/effects,

acute and delayed

None under normal use conditions.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

Page 2/8

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Dry chemical, CO 2, alcohol-resistant foam or water spray.

Unsuitable Extinguishing Media None.

Special hazard None known.

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

Revision Date: 15-Jun-2015

(approved or equivalent) and full protective gear.

Specific hazards arising from the

chemical

None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand,

earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Never return spills in original containers for re-use. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible products None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| CAS-No | ACGIH TLV | OSHA PEL | Mexico PEL |
|----------|--------------|------------------------------------|---|
| 141-43-5 | STEL: 6 ppm | TWA: 3 ppm | Mexico: TWA 3 ppm |
| | I VVA: 3 ppm | Ü | Mexico: TWA 8 mg/m ³ Mexico: STEL 6 ppm |
| | | (vacated) TWA: 8 mg/m ³ | Mexico: STEL 15 mg/m ³ |
| | | | |
| | | | 141-43-5 STEL: 6 ppm TWA: 3 ppm TWA: 6 mg/m³ (vacated) TWA: 3 ppm |

| Chemical Name | CAS-No | Alberta | Quebec | Ontario TWAEV | British Columbia |
|----------------|----------|---------|--------|---------------------------------------|------------------|
| Phenoxyethanol | 122-99-6 | | | TWA: 25 ppm TWA: 141 mg/m³ Skin | |

| 2-Aminoethanol | 141-43-5 | TWA: 3 ppm | TWA: 3 ppm | TWA: 3 ppm | TWA: 3 ppm |
|----------------|----------|----------------------------|----------------------------|-------------|-------------|
| | | TWA: 7.5 mg/m ³ | TWA: 7.5 mg/m ³ | STEL: 6 ppm | STEL: 6 ppm |
| | | STEL: 6 ppm | STEL: 6 ppm | | |
| | | STEL: 15 mg/m ³ | STEL: 15 mg/m ³ | | |

No relevant exposure guidelines for other ingredients

Exposure controls

Engineering Measures Distribution, Workplace and Household Settings:

Ensure adequate ventilation

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Revision Date: 15-Jun-2015

Where reasonably practicable this should be achieved by the use of local exhaust

ventilation and good general extraction

Personal Protective Equipment

Eye Protection Distribution, Workplace and Household Settings:

Requires Eye Protection

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Safety glasses with side-shields If splashes are likely to occur, wear:

Tightly fitting safety goggles

Hand Protection Distribution, Workplace and Household Settings:

Protective gloves

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Protective gloves

Skin and Body Protection Distribution, Workplace and Household Settings:

Wear suitable protective clothing

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

Wear suitable protective clothing

Respiratory Protection Distribution, Workplace and Household Settings:

No special protective equipment required

Product Manufacturing Plant (needed at Product-Producing Plant ONLY):

In case of insufficient ventilation wear suitable respiratory equipment

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State @20°C liquid opaque Odor Scented

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Note</u>

pH value 13

Flammability Limits in Air

Melting/freezing point

Boiling point/boiling range

No information available
No information available

Flash point > 82 °C / > 180 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Dogo 4/9

95446855_PROF_NG - Dawn Professional® Power Dissolver

Upper flammability limit
Lower Flammability Limit
Vapor pressure
Vapor density

No information available
No information available
No information available

Relative density 1.03 - 1.06 Water solubility 100%

Solubility in other solvents

Partition coefficient: n-octanol/waterNo information available
Autoignition temperature

No information available
Decomposition temperature
No information available

Viscosity of Product No information available

VOC Content (%) Products comply with US state and federal regulations for VOC content in consumer

products.

10. STABILITY AND REACTIVITY

Revision Date: 15-Jun-2015

Reactivity None under normal use conditions.

Stability Stable under normal conditions.

Hazardous polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

Conditions to AvoidNone under normal processing.

Materials to avoid None in particular.

Hazardous Decomposition Products None under normal use.

11. TOXICOLOGICAL INFORMATION

Product Information

Information on likely routes of exposure

InhalationNo known effect.Skin contactMay cause burns.IngestionNo known effect.

Eye contact Risk of serious damage to eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity

No known effect.

Skin corrosion/irritation

No known effect.

Causes severe burns.

Serious eye damage/eye irritation Risk of serious damage to eyes.

No known effect. Skin sensitization No known effect. Respiratory sensitization Germ cell mutagenicity No known effect. **Neurological Effects** No known effect. Reproductive toxicity No known effect. **Developmental toxicity** No known effect. **Teratogenicity** No known effect. STOT - single exposure No known effect. STOT - repeated exposure No known effect. No known effect. **Target Organ Effects** No known effect. **Aspiration hazard** Carcinogenicity No known effect.

Component Information

| Chemical Name | CAS-No | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---------------------------------|------------|---------------------|-----------------------|-----------------------|
| Dipropylene Glycol Butoxy Ether | 29911-28-2 | 3700 mg/kg bw (OECD | > 2000 mg/kg bw (OECD | > 2.04 mg/L air (OECD |
| | | 401) | 402) | 403) |
| Phenoxyethanol | 122-99-6 | 1850 mg/kg (rat) | 2214 mg/kg (rat) | - |

| 2-Aminoethanol | 141-43-5 | 1089 mg/kg bw (Similar to | 0 0 \ | - |
|----------------|----------|---------------------------------------|-------|---|
| | | OECD 401; standard acute method: rat) | | |

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

Persistence and degradability

Bioaccumulative potential

Mobility

No information available.

No information available.

No information available.

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste from Residues / Unused

Products

Products covered by this SDS, in their original form, when disposed as waste, are corrosive hazardous waste, D002, according to Federal RCRA regulations (40 CFR 261). Disposal

Revision Date: 15-Jun-2015

should be in accordance with local, state and federal regulations.

Contaminated packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Codes 331

(non-household setting)

14. TRANSPORT INFORMATION

DOT

UN no UN3266

UN Proper shipping name Corrosive liquid, basic, inorganic, n.o.s.

Description UN3266, Corrosive liquid, basic, inorganic, n.o.s., (monoethanolamine, sodium hydroxide),

8, II, Ltd. Qty.

Hazard Class 8
Packing Group ||

IMDG

UN Number UN3266

UN Proper shipping name Corrosive liquid, basic, inorganic, n.o.s.

Description UN3266, Corrosive liquid, basic, inorganic, n.o.s., (monoethanolamine, sodium hydroxide),

8, II, Ltd. Qty.

Transport hazard class(es) 8

Packing Group

<u>IATA</u>

UN no UN3266

UN Proper shipping name Corrosive liquid, basic, inorganic, n.o.s.

Description UN3266, Corrosive liquid, basic, inorganic, n.o.s., (monoethanolamine, sodium hydroxide),

8, II, Ltd. Qty.

Hazard Class 8
Packing Group

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Revision Date: 15-Jun-2015

| Chemical Name | CAS-No | SARA 313 - Threshold Values % |
|----------------|----------|-------------------------------|
| Phenoxyethanol | 122-99-6 | 1.0 |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name | CAS-No | Hazardous Substances RQs | Extremely Hazardous Substances RQs | CERCLA/SARA 302 TPQ |
|------------------|-----------|-----------------------------|------------------------------------|------------------------|
| Sodium hydroxide | 1310-73-2 | 1000 lb | - | |

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substance(s) which are either listed as hazardous air pollutants (HAPS) or VOC's per the Clean Air Act:

| Chemical Name | CAS-No | CAA (Clean Air Act) - 1990 Hazardous Air Pollutants |
|----------------|----------|--|
| Phenoxyethanol | 122-99-6 | X |

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

| Chemical Name | CAS-No | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|------------------|-----------|--------------------------------|---------------------------|------------------------------|-------------------------------|
| Sodium hydroxide | 1310-73-2 | 1000 lb | - | - | X |

California Proposition 65

This product is not subject to warning labeling under California Proposition 65.

U.S. State Regulations (RTK)

| Chemical Name | CAS-No | New Jersey |
|----------------|----------|------------|
| Phenoxyethanol | 122-99-6 | X |
| 2-Aminoethanol | 141-43-5 | X |

| Chemical Name | CAS-No | Massachusetts |
|----------------|----------|---------------|
| 2-Aminoethanol | 141-43-5 | X |

| Chemical Name | CAS-No | Pennsylvania |
|------------------|-----------|--------------|
| Phenoxyethanol | 122-99-6 | X |
| 2-Aminoethanol | 141-43-5 | X |
| Sodium hydroxide | 1310-73-2 | X |

International Inventories

United States

All intentionally-added components of this product(s) are listed on the US TSCA Inventory.

Canada

This product is in compliance with CEPA for import by P&G.

<u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CEPA - Canadian Environmental Protection Act

16. OTHER INFORMATION

Revision Date: 15-Jun-2015

HMIS Ratings 2 **Health hazard** 2 **Flammability** 0 Physical hazard NFPA Ratings **Health hazard** 2 2 **Flammability** 0 Instability 12-Feb-2015 **Issuing Date:**

Revision Date: 12-Feb-2015 15-Jun-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS